AMENDMENTS TO THE CLAIMS:

The following is the status of the claims of the above-captioned application, as amended.

Claim 1 (Currently amended) A granule comprising a core and a coating wherein the core comprises an active compound and the coating comprises a synthetic polymer wax composition, wherein the synthetic polymer wax composition is characterized as having a molecular weight distribution of:

- (a) at least 10% w/w in the amount of 0.25xM_w to 0.74xM_w.75xM_w,
- (b) at least 20% w/w in the amount of 0.75xM_w to 1.25xM_w, and
- (c) at least 10% w/w in the amount of 1.26xM_w-25xM_w to 2.0xM_w, where M_w is the weight average molecular weight of the synthetic polymer wax composition.

Claim 2 (Original) The granule of claim 1, wherein the temperature at which the wax composition starts to melt, $T_{m.i.}$ is at least 25°C.

Claim 3 (Original) The granule of claim 1, wherein $T_{m,i}$ of the wax composition is at least 30°C.

Claim 4 (Original) The granule of claim 1, wherein $T_{m,i}$ of the wax composition is at least 35°C.

Claim 5 (Currently amended) The granule of claim 1, wherein the median melting point is between 50 to 60 °C.

Claim 6 (Original) The granule of claim 1, wherein the median melting point is at least 10°C.

Claim 7 (Original) The granule of claim 1, wherein M_w is more than 1000.

Claim 8 (Original) The granule of claim 1, wherein M_w is more than 1200.

Claim 9 (Original) The granule of claim 1, wherein M_w is more than 1400.

Claim 10 (Canceled)

Claim 11 (Original) The granule of claim 1, wherein the granules have a caking strength of less than 1000.

Claim 12 (Original) The granule of claim 1, wherein the active compound is a protein.

Claim 13 (Original) The granule of claim 12, wherein the protein is an enzyme.

Claim 14 (Withdrawn) A process for preparing the granule of claim 1, comprising contacting a particle comprising an active compound with a coating, wherein the coating comprises a wax composition with a molecular weight distribution in the range of:

- (a) at least 10% w/w in the range 0.25xMw to 0.75xMw, and
- (b) at least 20% w/w in the range 0.75xMw to 1.25xMw, and
- (c) at least 10% w/w in the range 1.25xMw to 2.0xMw, where Mw is the weight average molecular weight of the wax composition.

Claim 15 (Withdrawn) The process of claim 14, wherein said contacting of the particle with a coating is taking place in a coating chamber.

Claim 16 (Withdrawn) The process of claim 14, wherein said contacting of the particle with a coating is taking place in a fluid bed apparatus or in a mixer apparatus.

Claim 17 (Original) A feed or fodder composition for animals comprising the granule of claim 1.

Claim 18 (Canceled)

Claim 19 (Original) A dough composition comprising the granule of claim 1.

Claim 20 (Canceled)

Claim 21 (Original) A detergent composition comprising a granule of claim 1.

Claim 22 (Canceled)

Claim 23 (Original) A fertilizer composition comprising the granule of claim 1.

Claim 24 (Canceled)

Claim 25 (Canceled)

Claim 26 (Withdrawn) A method of reducing dust from active particles comprising: providing a granule composition comprising a core comprising an active compound;

providing a coating constituent comprising a synthetic polymer wax composition with a molecular weight distribution of:

- (a) at least 10% w/w in the range 0.25xM_w to 0.75xM_w,
- (b) at least 20% w/w in the range 0.75xM_w to 1.25xM_w, and
- (c) at least 10% w/w in the range 1.25xM_w to 2.0xM_w, where M_w is the weight average molecular weight of the synthetic polymer wax composition, wherein the synthetic polymer is a admixture of a first polyethylene glycol having a first average molecular weight, a second polyethylene glycol having a second average molecular weight, and a third polyethylene glycol having a third average molecular weight; and coating the granule with the coating constituent.

Claim 27. (Currently amended) A granule comprising a core and a coating wherein the core comprises an active compound and the coating consists essentially of a synthetic polymer wax composition, wherein the synthetic polymer wax composition is characterized as having a molecular weight distribution of:

- (a) at least 10% w/w in the amount of 0.25xM_w to 0.74xM_w.75xM_w,
- (b) at least 20% w/w in the amount of 0.75xM_w to 1.25xM_w, and
- (c) at least 10% w/w in the amount of 1.26xM_w-25xM_w to 2.0xM_w, where M_w is the weight average molecular weight of the synthetic polymer wax composition.

Claim 28. (Previously presented) A granule comprising a core and a coating wherein the core comprises enzyme and the coating consists of a synthetic polymer wax composition, wherein the synthetic polymer wax composition is characterized as having a molecular weight distribution of:

- (a) at least 10% w/w in the amount of 0.25xM_w to 0.74xM_w.75xM_w.
- (b) at least 20% w/w in the amount of 0.75xM_w to 1.25xM_w, and
- (c) at least 10% w/w in the amount of 1.26xM_w-25xM_w to 2.0xM_w, where M_w is the weight average molecular weight of the synthetic polymer wax composition.

Claim 29. (Previously presented) A granule in accordance with claim 28, wherein the synthetic polymer wax composition is an admixture of a first polyethylene glycol having a first average molecular weight, a second polyethylene glycol having a second average molecular weight, and a third polyethylene glycol having a third average molecular weight.

Claim 30 (Canceled)